

Bid Document

Bid Details	
Bid End Date/Time	28-01-2019 14:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	15 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	N/a
Office Name	Hq 15 Sector Rr
Total Quantity	1
Item Category	movable file storage system
Average Turn Over of Last 3 Years	4 Lakh (s)
Experience with Gov. Required	2 Year (s)
MSE Exemption For Years Of Experience And Turnover	No

Movable File Storage System (1)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Allowed Values
GENERIC	Number of Bays	4-Bay	1-Bay, 2-Bay, 3-Bay, 4-Bay, 5-Bay
	Type of Drive	Sprocket Chain Drive Mechanism	Push Pull Type, Mechnized Drive Type, Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Bodies (Units / Cabinets open at one side and closed on other side covering all bays)	1	*
	Number of Single Faced Movable Bodies (Units / Cabinet open at one	0	*

	side and closed on other side covering all bays)		
	Number of Movable Bodies (= A) (Double Faced / Dual Cabinets covering all bays) (Total number of available sections = 2 X number of bays X A)	4	*
	Number of Shelves in Each Section / Cabinet	4 Shelves/5 Compartments	5 Shelves/6 Compartments, 4 Shelves/5 Compartments, 3 Shelves/4 Compartments, 2 Shelves/ 3 Compartments
	Load Carrying Capacity of Each Shelf (Kg)	80 Kg	60 kg, 70 Kg, 80 Kg
	Delivery Condition of Movable File Storage System	Knock down	*
	Free Assembly and Installation Commissioning of knocked down supply	YES	*
	Shelves in the cabinets	adjustable	*
	Every Base frame fitted with	one pair of MS wheels	*
	Guide rail provided with	Stopper	*
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM	*
	Anti rust treatment	YES	*
	Stud	Main and add on construction	*
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with

		<p>protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest</p>
M S Sheet Thickness of the Shelf Pannels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest	<p>1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest</p>
M S Sheet Thickness of the Door Pannels (mm)	N.A	<p>0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick</p>

		CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, N.A	
Height of base frame ± 2 (mm)	100mm	*	
Height of track and moving clearance ± 2 (mm)	65 mm	*	
Material of Stud	Rubber stud between bodies	*	
Material of base frame	Hot Rolled Sheet 3.15MM thick Confmg. to IS:1079/Latest	*	
Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws	*	
Material of 'C' Channel	H R Sheet 3.15MM thick confmg. to IS:1079/Latest	*	
Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction	*	
Number of Folds in Shelf Panels	10	*	
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 10 (mm)	2130	1725, 2080, 2200, 2350, 2600, 2750, 2900, 2950, 2130, 1875
	Depth of the Cabinet ± 10(mm)	457	315, 375, 450, 457, 560, 610
	Width of the Cabinet in mm (± 5 mm) (THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays)	915	905, 915, 1050, 1180, 1500

	Minimum Excess Rail Length in addition to Filing Cabinet Covering (For Aisle working) (mm)	1200	*
	Pitch of all the shelves	25.4MM	*
	Aisle space inside of units	915 mm	*
COLOUR & FINISH	Paint	Powder Coating	*
	Colour of Paint	Dark Gray	*
WARRANTY	Warranty Period IN NUMBER OF YEARS	1	1, 2, 3, 4, 5 Or higher
DOORS AND LOCKING	Seperate Door Provided with each Section / Cabinet	NO	*
	Central Locking System for locking entire compactor unit	YES	YES, NO
	Safety Lock for each Movable Body	yes	*
	Seperate door lock for each section	NA	*
	Fitting of stopper	In ground by grouting bolt	*
	Handle	N.A	*
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	*
	BIFMA certification	NO	*
	OEM of offered product is ISO 9001:2015 certified	NO	*
	OEM of offered product is ISO 14001:2015 certified	NO	*
	OEM of offered product is ISO 18001:2007 certified	NO	*
	Green guard certification	NO	*

* Bold specifications are the golden parameters.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

1	Shiv Kumar	182315,HQ 15 SECT RR C/o 56 APO PIN-934715, Tehsil - MAHORE, Distt - Reasi (Jammu & Kashmir), 9906397795, 614 FPO	1	30
---	------------	---	---	----

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Buyer Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) :** Supply Installation Testing and Commissioning of Goods
- 2. Procurement under this bid is reserved for purchase from :** Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category.
- 3. Purchase preference will be given to MSME and Startup (Local supplier) :** (if L-1 is not from selected category and 4 / 5 Seller (s) from selected category has/have quoted price within L-1 + Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%),Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%),Local Supplier as defined in Public Procurement (Preference to Make in India - 20%), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products % of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and award contract for percentage of total value as defined/ decided in relevant policy) Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%),Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category (Preference to MSME - 15%),Local Supplier as defined in Public Procurement (Preference to Make in India - 20%), Order 2017 and its subsequent Orders / Notifications issued by concerned Nodal Ministry for specific Goods/ Products
- 4. Inspection charges shall be borne by the supplier and it shall not be reimbursed by indenter to them at any point in time. Cost of inspection shall be factored in by the supplier in the cost of the product itself while submitting bid. The inspection agency will conduct the inspection and submit the certificate to the supplier as well as the buyers and consignees. The bidder will be solely responsible for pre-inspected material for Quality Assurance including pre-despatch inspection/ testing at manufacturer's site by Bureau Veritas (India) Pvt. Ltd.,NITRA,CQA (GS) Kanpur,IRCLASS Systems and Solutions Pvt. Ltd. (Industrial Services Dept.)**

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---

