

Crompton

Crompton

**CROMPTON GREAVES CONSUMER
ELECTRICALS LIMITED**

Registered Office:

Equinox Business Park, 1st Floor, Tower 3, LBS Marg,
Kurla(W), Mumbai-400 070, India.

Customer Service:

Get your product problem resolved within 48 hrs
from the time our technician inspects.

Toll free number: **1800 419 0505** (9am-7pm)

Web registration on www.crompton.co.in



24 Hours Open Web Access

Disclaimer – While every effort has been taken to ensure that all specifications and description are correct, this brochure should not be regarded as infallible guide not as an offer of sales for a particular product. Due to variables in production process, colours of actual products may vary slightly from those depicted. Model numbers and specifications are for reference only, may subject to change without prior notice.

7thsense.co.in

DISCOVER THE
JOY OF BATHING
comfortably

Crompton



**HIGH PERFORMACE
WATER HEATER**






STORAGE
WATER HEATERS | 03




INSTANT
WATER HEATERS | 17

CROMPTON WATER HEATER COMPONENTS

Storage Water heater



HOW WATER HEATER WORKS



- 1 Tank is filled with cold water through inlet pipe
- 2 Heating Element heats up the water until water reaches the desired temperature set by the thermostat
- 3 As water temperature increase, hot water rises above the denser cold water at the top of the tank
- 4 Now hot water can be accessed through out-let pipe
- 5 Water Heater is covered with heat insulation material, that prevents heat loss from hot water & keep it hotter for a longer time & does helps in energy saving



Magnesium Anode

Rust free Body

Powerful heating element

Superior Tank coating

RANGE OF
STORAGE WATER HEATERS

HIGH 
PERFORMANCE

Designed for extreme conditions



PROTECTS THE TANK FROM CORROSION
Glass line tank



33% EXTRA LIFE
Blue Glass line enamel Incoloy heating element



ACTS AS A SAFEGUARD, ANTI CORROSIVE
Magnesium anode protector

TRIPLE SHIELD PROTECTION FROM HARD WATER



Xtra safe



Smart energy Management



Works even in **high storey building**

VALUE 

Fast heating with efficiency



Powerful heating
Element



Smart energy
Management




5 star rated
Energy efficient

LIFE SMART 

Designed for modern homes



3in1 smart
convertible modes



Advanced **micro precision controls**



Next generation
design

HIGH PERFORMANCE

Designed for xtreme conditions



TRIPLE SHIELD PROTECTION FROM HARD WATER



Acts as a safeguard & protects the tank from corrosion


Magnesium anode protector

It protects the tank from corrosion with the help of advanced coating developed by baking the tank to 875°C allowing tank to function in tough conditions of Hard water

Glass line tank

33% Xtra long life as it has excellent oxidation resistance even in high temperature and thus has anti scaling property

Blue Glass line enamel Incoloy heating element




Smart energy management

Smart design with Standby cut off that consumes less electricity




10 bar pressure

Suitable for high-rise building



Xtra safe

Precision sensing device with capillary type thermostat and thermal cut out for enhanced safety



5 star rated energy efficient

High Grade Puff insulation ensures high heat retention and thus reducing your electricity bills

SOLARIUM NEO HIGH PERFORMANCE WATER HEATER



HARD WATER PROTECTION



Superior Glassline coating



Incoloy heating element



Rust proof Body



Advanced 3 level precision safety



Energy saving Insitu PUF



10 Bar pressure

Available in
6L, 10L, 15L, 25L

Warranty
7yrs
Tank

3yrs
Element

2yrs
Product

*6L is available in 4 star
10L, 15L, 25L are in 5 Star

SOLARIUM NEO PERFECT CARE WATER HEATER

High performance water heater that works in hard water along with 4 layer filter which reduces the effects of hard water salts and lime scale on skin and hair.



HARD WATER PROTECTION

How hard water affects skin & hair



Hair fall



Itching



Blemishes & Acne

Available in
15L

Warranty
7yrs
Tank

3yrs
Element

2yrs
Product



Micro seive layer

Filters Sediments, micro-particles & impurities



Hardness conditioning layer

Reduces effects of hard water salts & limescale to protect your skin & reduce hairfall



Chlorine removal layer

Reduces up to 90% chlorine & heavy metals like Lead & Mercury



Nano silver carbon layer

Removes bad smell and prevents bacterial growth





VALUE

Fast heating with efficiency



Powerful heating element

These water heaters have 1200 gm superior heating element for faster heating. Achieve 45° C temperature in 10 mins



Smart energy management

Smart design with Standby cut off that consumes less electricity



5 star rated energy efficient

High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills



8 Bar pressure



Powder coated metallic body

Amica



Superior Polymer coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 10L, 15L and 25 L

WARRANTY

7yrs

Tank

2yrs

Element

2yrs

Product



8 Bar Pressure



Rust proof Body

Solarium Qube



Superior Polymer coating



Advanced 3 level safety



Powerful heating element



Unique square body

Available in 15L and 25 L

WARRANTY

7yrs

Tank

2yrs

Element

2yrs

Product



8 Bar pressure



Rust proof Body

Regalio



Superior glassline coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 10L, 15L and 25 L

WARRANTY

5yrs

Tank

2yrs

Element

2yrs

Product



LIFE SMART

Designed for modern homes



INFINITO



ELEGANT BODY FINISH




FOR THE CUSTOMIZED 3 BATH MODES
1. ECO MODE
2. TURBO MODE
3. QUICK MODE



3in1 smart convertible modes

Smart 3 modes for customised bathing experience

- Eco mode: For the gentle bath
- Turbo Mode: For the energetic bath
- Quick Mode: For the instant bath



Advanced micro precision controls

Provides seamless control for customising your bathing experience.



Next generation design

Appealing aesthetics with unique pentagon shape designed for your bathroom decor.



Superior Glassline coating



Unique pentagon shape



Energy saving Insitu PUF



Powerful dual heating element



Advanced 3 level safety



10 Bar pressure

Available in
15L & 25L

Warranty
7yrs
Tank

3yrs
Element

2yrs
Product

OTHER RANGE

MULTIFIT

Patented design with 8-in-1 fitment options



Universal fitment



Patented Design



Hassle Free Installation



Superior Glassline coating



Powerful dual heating element



Rust proof body



Advanced 3 level Safety



Energy saving Insitu PUF



8 Bar pressure

Available in 10L, 15L & 25L

Warranty
5yrs
Tank

2yrs
Element

2yrs
Product



8 Bar pressure



Rust proof body

Solarium Aura



Superior Glassline coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 6L, 10L, 15L and 25 L

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product

Arno Neo



Superior Polymer coating



Advanced 3 level safety



Powerful heating element



Energy saving Insitu PUF

Available in 10L, 15L and 25 L

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



8 Bar pressure



Powder coated metallic body

35L & 50L are also available in **Radiant Neo Series.**



INSTANT WATER HEATER



Aqua plus

- High grade SS tank to protect from corrosion
- Advanced 4 level safety
- Powerful heating element
- Weldless tank for corrosion free long life

Available in 3L: 3KW

WARRANTY

5yrs Tank | **2yrs** Product

- ISI marked for added safety
- 6.5 Bar pressure
- Rust proof body



Solarium Vogue

- High grade SS tank to protect from corrosion
- Weldless tank for corrosion free long life
- Powerful heating element
- Advanced 4 level safety
- Smart LED indicator

Available in 3L: 3KW

WARRANTY

5yrs Tank | **2yrs** Product

- ISI Marked for added safety
- 6.5 Bar Pressure
- Rust Proof Body



RapidJet

- High grade SS tank to protect from corrosion
- Advanced 4 level safety
- Powerful heating element
- Weldless tank for corrosion free long life

Available in 3L: 3KW

WARRANTY

5yrs Tank | **2yrs** Product

- ISI marked for added safety
- 6.5 Bar pressure
- Rust proof body



Solarium Neo

- High grade SS tank to protect from corrosion
- Weldless tank for corrosion free long life
- Powerful heating element
- Advanced 4 level safety
- Compact design

Available in 3L: 3KW & 4.5 KW

WARRANTY

5yrs Tank | **2yrs** Product

- ISI Marked for added safety
- 6.5 Bar Pressure
- Rust Proof Body



Bliss

- High grade SS tank to protect from corrosion
- Weldless tank for corrosion free long life.
- Powerful heating element
- Advanced 4 level safety

Available in 3L: 3KW & 4.5 KW, 1L: 3KW & 4.5 KW

WARRANTY

2yrs Product








- ISI marked for added safety
- 6.5 Bar pressure
- Rust proof body

HOW TO CHOOSE YOUR WATER HEATER

Key things you should know when selecting your water heaters

What should be the **capacity of the water heater**?

The capacity of the water heater depends on the kind of usage:

Storage Water Heater	Storage Water Heater	Storage Water Heater	Instant Water Heater	Storage Water Heater	Storage Water Heater	Instant Water Heater
						
Bathing – bucket	Bathing – bucket	Bathing – Shower	Washing utensils	Bathing – bucket	Bathing – Shower	Washing utensils
2-3 Members	2-3 Members	2-3 Members	2-3 Members	4-8 Members	4-8 Members	4-8 Members
6L Suggested Capacity	10-15L Suggested Capacity	15-25L Suggested Capacity	1-3L Suggested Capacity	25L Suggested Capacity	25L Suggested Capacity	1-3L Suggested Capacity



SERIES		HIGH PERFORMANCE		VALUE			LIFE SMART	OTHER RANGE			INSTANT				
ADVANCE FEATURES		SOLARIUM Neo	SOLARIUM Neo Perfect Care	SOLARIUM QUBE	AMICA	REGALLIO	INFINITO	ARNO Neo	SOLARIUM AURA	MULTIFIT	SOLARIUM VOGUE	SOL NEO	RAPIDJET	AQUA PLUS	BLISS
Pressure Rating	Safety Valve	10 Bar	10 Bar	8 BAR	8 BAR	8 BAR	10 BAR	8 BAR	8 BAR	8 BAR	6.5 BAR	6.5 BAR	6.5 BAR	6.5 BAR	6.5 BAR
TANK	MS_Glassline Coating	✓	✓			✓	✓		✓	✓					
	MS_Polymer Coating			✓	✓			✓							
	SS									✓	✓	✓	✓	✓	✓
Heating Element	Incoloy + GL Coating	✓	✓												
	Copper + Ni Coating			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Thermostat	Advance Microproceser Sensing						✓								
	High precision Capillary	✓	✓	✓	✓	✓		✓	✓	✓					
	Stem Mechanical										✓	✓	✓	✓	✓
Temp Adjustable Knob	Temp Control	✓	✓	✓	✓	✓	✓	✓	✓	✓					
Thermal Cut off	High precision Capillary	✓	✓				✓								
	Stem Mechanical			✓	✓	✓		✓	✓		✓	✓	✓	✓	✓
	Mechanical - Disc									✓					
Anode Rod	MgO	✓	✓	✓	✓	✓	✓	✓	✓	✓					
Mounting		Vertical Wall	Vertical Wall	Vertical Wall	Vertical Wall	Vertical Wall	Vertical Wall	Vertical Wall	Vertical Wall	Horizontal/Floor	Vertical Wall	Vertical Wall	Vertical Wall	Vertical Wall	Vertical Wall
SPECIFICATIONS															
BEE Star Rating		6L- 4 Star 10L, 15L, 25L - 5 Star	5 Star	5 Star	5 Star	5 Star	5 Star	3 Star	4 Star	4 Star	NA	NA	NA	NA	NA
Power (kW)		2000 W	2000 W	2000 W	2000 W	2000 W	2000W+ 1500W Dual Heating Element	2000 W	2000 W	2000 W	3000 W	3000W/ 4500W	3000 W	3000 W	3000W/ 4500W
Capacity (Liters)		6L, 10L, 15L, 25L	15L	15L, 25L	10L, 15L, 25L	10L, 15L, 25L	15L, 25L	10L, 15L, 25L	6L, 10L, 15L, 25L	10L, 15L, 25L	3L	3L	3L	3L	1l, 3L
AESTHETICS															
Color		Ivory	White	White	White	White	GREY	White	White	White	White	Ivory	White	White	White
Body		Plastic	Plastic	Plastic	Plastic+Sheet Metal	Plastic	Plastic+Sheet Metal	Plastic+Sheet Metal	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
WARRENTY															
Tank		7	7	7	7	5	7	5	5	5	5	5	5	5	2
Heating Element		3	3	2	2	2	3	2	2	2	2	2	2	2	2
Product		2	2	2	2	2	2	2	2	2	2	2	2	2	2
SAP Code / Dimensions: (LxWxH in mm)		ASWH1606- 270x290x370 ASWH1610- 270x280x460 ASWH1615- 360x370x490 ASWH1625- 370x380x610	ASWH-2815- 360x370x540	ASWH-2415- 400x390x420 ASWH-2425- 415x415x420	ASWH-2015- 360x370x460 ASWH-2025- 350x370x595	ASWH-1810- 334x334x380mm ASWH-1815- 334x334x480mm ASWH-1825- 380x380x550mm	ASWH-2315- 375x366x520 ASWH-2325- 375x366x655	ASWH-2615- 315x325x450 ASWH-2625- 350x360x550	ASWH-1306- 320x280x420 ASWH1310- 500x305x320 ASWH1315- 495x355x370 ASWH1325- 635x360x387	ASWH-1910SHz- 533x315x315 ASWH-1915SHz- 678x315x315 ASWH-1925SHz- 958x315x315	AIWH-3LSOLVOG 3KW5Y 190x210x400	AIWH-3LSOLNEO 3KW5Y 190x195x490	AIWH-3LRPIDJT 3KW5Y 202x196x347	AIWH-3AQUAPLUS 3KW5Y 210x180x370	AIWHO1BLISS 210x180x370 AIWHO3BLISS 210x180x370
Net Weight (in Kgs)		6L- 6.10 Kgs 10L- 7.38 Kgs 15L- 9.28 Kgs 25L- 13.10 Kgs	6L- 7.10 Kgs 10L- 8.38 Kgs 15L- 10.28 Kgs 25L- 14.10 Kgs	15L- 7.7 KGS 25L- 9.5 KGS	15L- 8.16 Kgs 25L- 9.9 Kgs	10L- 7.2 Kgs 15L- 8.3 Kgs 25L- 11.2 Kgs	15L- 11.100 KGS 25L- 13.400 KGS	15L- 7.28 Kgs 25L- 9.32 Kgs	6L- 6 Kgs 10L- 7.8 Kgs 15L- 9.4 Kgs 25L- 13 Kgs	10L- 9.2 Kgs 15L- 10.8 Kgs 25L- 15.7 Kgs	2.9 Kgs	2.76 Kgs	2.59 Kgs	2.5 Kgs	3 Kgs