

A-Ret 0.025% Gel

MANUFACTURER

[A. Menarini India Pvt Ltd](#)

SALT COMPOSITION

[Tretinoin \(0.025% w/w\)](#)

STORAGE

Store below 30°C

[Click here to view all substitutes](#)



Composition:

Tretinoin USP _____ 0.025% w/w
In a Gel Base _____ g.s.

Indications: Treatment of Acne.

Exposure to sunlight and UV light must be avoided.
If unavoidable, use sunscreen lotion.

Precautions:

Keep out of the reach of children. Avoid contact with eyes, mouth and mucous membranes.
For Application, Precautions and Contraindications, read the enclosed leaflet.

Warning: To be sold by retail on the prescription of a Registered Medical Practitioner only.



- 1
- 2
- 3
- 4
- 5

PRODUCT INTRODUCTION

A-Ret 0.025% Gel is a form of vitamin A that is used to treat acne which appears as spots or pimples on your face, chest, or back. It also helps to smooth rough facial skin and to reduce fine wrinkles on the skin.

A-Ret 0.025% Gel reduces excessive oil production of the skin. Ideally, a pinpoint application at nighttime is recommended for the duration prescribed by your doctor. The amount you need and for how long you need to take it will depend on what you are being treated for. You should normally wash and dry the affected area before applying a thin layer of this medicine. Follow your doctor's instructions. You should not apply it to damaged or broken skin and avoid contact with your mouth, eyes, and nose. It may take several weeks for your symptoms to improve but keep using it regularly to get the most benefit. Consult your doctor again if you do not notice any improvement after a few weeks. Using more medicine or applying it more often than prescribed will not make it work any faster and may increase the side effects.

The most common side effects include irritation, dryness, and redness of the skin. They are usually mild and improve as your body gets used to the medicine. Drink plenty of water and use moisturizer as it may lead to dryness of the mouth, lips, and eyes. Let your doctor know if these side effects bother you or do not go away. Serious side effects with this medicine are rare.

This medicine may make you more sensitive to sunlight so you should limit exposure to the sun if possible. It may make your skin more fragile. It is advised, not to have any waxing (hair removal), or laser treatments during treatment. Pregnant women or women who are planning to get pregnant should not use this medicine as it can lead to birth defects.

USES OF A-RET GEL

- [Treatment of Acne](#)
- Acute promyelocytic leukaemia

BENEFITS OF A-RET GEL

In Treatment of Acne

A-Ret 0.025% Gel is a form of vitamin A. It helps treat acne by clearing skin pores and preventing spots or pimples from appearing. It usually takes several weeks to have a noticeable effect so keep using it even if it appears not to be working. Sometimes acne may get worse before it gets better, however, with proper use, your skin will get clearer. The earlier you start using it, the less likely you are to get scars. This medicine will help improve your mood and uplift your confidence as your skin becomes acne-free. It should not be used if you have eczema or sunburned skin.

SIDE EFFECTS OF A-RET GEL

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of A-Ret

- Erythema (skin redness)
- Skin irritation
- Dry skin
- Dry lips
- Pale red skin
- Increased sensitivity to light

HOW TO USE A-RET GEL

This medicine is for external use only. Use it in the dose and duration as advised by your doctor. Check the label for directions before use. Clean and dry the affected area and apply the gel. Wash your hands after applying, unless hands are the affected area.

HOW A-RET GEL WORKS

A-Ret 0.025% Gel is a form of vitamin A. When applied on the skin, it reduces oil production in the skin, replenishes acne-prone skin, and helps keep your pores open.

SAFETY ADVICE



Alcohol

No interaction found/established



Pregnancy

CONSULT YOUR DOCTOR

A-Ret 0.025% Gel may be unsafe to use during pregnancy. Although there are limited studies in humans, animal studies have shown harmful effects on the developing baby. Your doctor will weigh the benefits and any potential risks before prescribing it to you. Please consult your doctor.



Breast feeding

SAFE IF PRESCRIBED

A-Ret 0.025% Gel is probably safe to use during breastfeeding. Limited human data suggests that the drug does not represent any significant risk to the baby.



Driving

No interaction found/established



Kidney

No interaction found/established



Liver

No interaction found/established

WHAT IF YOU FORGET TO TAKE A-RET GEL?

If you miss a dose of A-Ret 0.025% Gel, apply it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.

All substitutes

For informational purposes only. Consult a doctor before taking any medicines.

A-Ret 0.025% Gel

₹86/Gel

Tronin 0.025% Gel

Talent India

₹29/gel
71% cheaper

Renol 0.025% Gel

Psycormedies

₹75/gel
26% cheaper

Factor A Gel

Sulzderma Pharmaceuticals Pvt Ltd

₹80/gel
21% cheaper

Dee-T Topical Gel

Nidus Pharma Pvt Ltd

₹85/gel
16% cheaper

Retop-A 0.025% Gel

Dermo Care Laboratories

₹86/gel
15% cheaper